



	PPP (hPa)	T (c)	Tmax (c)	dTmax (24h)	Tmin (c)	dTmin (24h)	R24hr (mm)	R1Jan (mm)	RH (%)	Wind (deg) (knot)	
	1010.84	22.7	34.9	1.6	21.3	1.1	0.0	1063.8	94	C	0
	1009.89	23.3	34.6	0.4	21.5	0.4	0.0	872.8	96	C	0
	1011.74	24.0	31.7	-0.5	23.9	3.1	0.0	1764.4	75	N	3
"	1011.63	23.8	30.6	-0.6	22.6	2.8	0.2	1571.9	83	ENE	2
	1012.15	22.8	32.0	0.2	21.6	0.4	1.2	915.4	84	C	0
	1011.11	16.2	22.5	0.1	15.5	-2.0	0.0	2011.1	93	ESE	12
	1012.16	23.4	33.7	0.1	23.4	0.6	1.4	1091.9	89	WSW	2
	1010.80	22.8	34.1	-0.1	22.5	0.5	1.5	904.9	93	C	0
	1010.24	23.3	32.0	-1.8	23.0	0.9	0.0	1019.6	91	NW	3
"	1011.22	22.5	32.5	0	21.8	0.3	1.2	866.7	97	C	0
	1011.97	22.3	32.9	-0.3	22.2	0.3	2.0	891.0	97	C	0
	1010.60	22.9	31.3	-2.4	22.9	-0.8	1.8	1024.5	95	N	4
	1011.40	22.3	30.5	-3.1	21.1	-0.7	7.4	965.9	96	C	0
"	1011.54	21.9	30.7	-2.3	21.7	0.7	5.1	920.8	94	C	0
	1011.58	22.4	31.2	-2.7	22.1	-0.3	3.2	1317.8	93	C	0
	1011.96	22.2	29.5	-3.9	21.6	-0.3	1.0	1256.4	88	C	0
	1009.62	23.7	33.0	-1.5	23.5	-2.8	3.2	1250.3	90	C	0
	1009.41	23.3	33.2	-1.7	21.0	-2.5	3.5	1365.3	97	C	0
"	1009.88	23.2	32.7	-1.7	23.0	-2.5	4.2	1050.8	99	C	0
	1011.01	23.5	34.5	0.1	23.4	-1.2	3.0	956.2	92	C	0
	1008.08	25.5	33.8	-0.7			0.0	1517.4	92	C	0
	1010.54	23.7	33.0	-1.2	23.4	-1.2	0.4	734.7	94	C	0
"	1010.37	19.8	26.8	-0.9	19.4	1.1	2.3	1720.8	96	NW	4
	1008.79	22.5	30.2	-1.8	22.0	0.8	6.5	1674.9	95	C	0
	1009.26	23.5	30.4	-3.8	21.8	-3.6	3.9	1341.9	96	NW	5
	1008.21	23.5	27.4	-4.8	22.0	-1.4	11.1	1295.5	96	C	0
	1010.07	23.5	28.5	-5.3	22.8	-1.7	30.5	904.7	96	C	0
	1010.09	24.0	29.0	-4.5	23.5	-0.5	10.2	1059.3	96	ESE	3
	1010.37	23.2	32.2	-2.3	23.2	-3.1	7.1	1459.9	96	NNW	3
"	1009.58	24.0	31.5	-3.0	23.5	-2.0	9.0	1024.9	96	NNW	3
	1012.31	23.3	26.3	-7.3	22.4	-1.4	42.2	795.7	96	NE	5
	1010.23	23.3	27.5	-6.3	22.0	-2.4	35.8	1427.5	90	ESE	10
"	1010.85	22.8	27.3	-5.7	22.2	-1.2	34.0	656.7	98	ESE	5
	1011.98	23.5	27.5	-5.5	22.6	-0.3	36.9	1242.5	95	C	0
	1013.55	23.6	25.0	-3.9	23.0	0.3	16.8	2005.1	95	SE	1
"	1013.63	23.5	24.8	-3.7	22.5	0.5	16.0	1088.6	96	C	0
	1012.71	24.1	27.5	-3.1	23.7	-0.2	15.0	2031.9	97	C	0
	1010.73	23.6	25.6	-7.4	23.2	0.4	33.2	941.8	92	ESE	4
	1011.33	23.5	26.1	-6.4	22.7	0.7	24.8	908.7	97	E	6
"	1010.89	24.0	25.0	-7.3	22.9	1.0	27.6	843.2	100	C	0
	1012.55	24.0	26.0	-3.3	23.3	0.3	14.4	1725.5	96	C	0
	1011.68	24.5	25.5	-5.5	23.1	0.6	32.5	876.9	96	ESE	6



%+ (&)) \* +

	PPP (hPa)	T (c)	Tmax (c)	dTmax (24h)	Tmin (c)	dTmin (24h)	R24hr (mm)	R1Jan (mm)	RH (%)	Wind (deg) (knot)	
	1014.06	23.8	25.4	-5.1	23.4	1.2	29.6	1006.5	94	E	6
	1010.76	23.4	26.2	-5.5	21.8	-1.0	22.1	791.3	97	C	0
	1011.59	24.0	25.5	-3.8	23.3	1.2	37.6	1596.4	95	E	3
"	1012.23	24.0	25.0	-4.2	23.4	1.3	37.0	1327.1	97	C	0
"	1012.84	23.4	26.1	0.1	22.7	0.2	6.5	1596.7	96	C	0
fl t	1012.58	24.6	27.5	0.3	23.3	0.5	9.4	1680.5	91	ENE	2
	1012.18	23.5	26.1	-1.9	23.0	0.3	2.7	1515.4	96	C	0
	1011.01	23.5	23.9	-7.7	22.8	-0.5	47.4	1149.1	98	C	0
"	1010.55	22.5	26.1	-4.8	22.0	-1.4	47.5	1199.9	95	C	0
	1011.07	23.5	24.2	-6.5	22.6	-0.2	41.4	1331.4	96	C	0
	1011.59	23.5	25.7	-4.6	22.9	0.9	15.7	1552.9	98	E	3
"	1011.84	23.5	26.0	-4.5	22.8	0.8	14.3	1248.4	96	E	2
	1012.19	24.0	26.2	-4.0	21.5	0	10.0	1269.7	96	C	0
	1011.89	23.1	24.6	-6.6	22.3	0.8	15.1	1263.7	99	C	0
	1011.00	24.1	25.0	-6.0	23.0	0.2	21.9	1220.8	99	C	0
	1009.95	24.5	33.0	-1.5	23.8	-4.1	29.4	1021.5	96	C	0
"	1010.67	23.4	29.5	-4.9	23.0	-3.5	40.0	1183.7	97	C	0
"	1010.41	23.8	30.8	-3.7	23.5	-2.9	55.0	1251.7	93	C	0
	1009.71	24.3	28.1	-6.9	21.7	-2.3	24.2	549.6	97	C	0
"	1010.72	25.0	28.2	-6.4	25.0	0.2	33.5	1130.3	96	E	4
	1009.39	24.9	26.4	-6.6	24.8	-1.5	17.7	1066.4	99	C	0
	1010.38	24.2	29.1	-6.9	23.7	-3.8	24.5	854.3	98	N	7
"	1009.75	25.3	28.0	-8.1	24.7	-1.0	7.8	677.7	97	C	0
	1010.35	24.1	28.5	-6.7	23.8	-3.1	49.4	1019.4	95	WNW	2
	1010.13	24.0	28.7	-6.8	23.0	-2.0	15.8	1447.0	98	C	0
	1009.44	27.5	26.6	-4.7	26.5	2.6	123.6	895.9	84	SE	8
"	1009.67	26.5	26.2	-7.1	25.4	1.3	44.4	1547.5	89	C	0
	1010.00	25.9	28.5	-6.9	25.8	2.6	36.1	1178.7	82	E	5
	1009.38	25.0	28.5	-5.5	23.5	-2.0	10.3	532.0	88	C	0
	1009.83	24.5	33.0	-1.2	24.2	0.1	42.4	1809.1	96	C	0
	1009.66	25.2	27.4	-6.6	23.5	-1.3	11.1	732.4	99	C	0
	1009.94	26.0	26.4	-8.7	24.9	0.2	56.4	1542.6	94	E	3
	1009.28	25.8	26.8	-6.2	24.0	-0.6	23.7	1270.3	89	C	0
"	1009.83	26.2	26.3	-8.4	25.0	0.5	55.0	1402.1	93	SE	3
	1010.41	26.0	29.8	-5.5	25.4	1.2	55.5	1354.3	92	ESE	3
	1011.70	23.7	25.9	-7.0	23.3	-0.2	31.1	1671.6	96	C	0
	1010.36	25.2			24.3		0.0	2089.8	92	ENE	3
	1010.36	24.6	26.0	-6.1	24.2	0.1	48.6	1623.0	97	C	0
	1011.23	24.5	30.2	-2.8	23.5	-0.7	33.9	1648.5	96	C	0
	1010.20	24.5	26.0	-6.9	24.3	0.2	48.3	1902.9	99	C	0
	1009.02	25.1	29.4	-4.9	24.1	0.3	71.9	1295.4	94	C	0



%+ (&)) \* +.

	PPP (hPa)	T (c)	Tmax (c)	dTmax (24h)	Tmin (c)	dTmin (24h)	R24hr (mm)	R1Jan (mm)	RH (%)	Wind (deg) (knot)	
	1008.75	26.5	32.0	0	24.5	1.5	70.5	1365.3	92	C	0
	1009.78	24.5	25.0	-6.6	24.5	1.2	22.6	844.1	96	C	0
	1009.42	26.5	33.9	0	24.1	0.9	9.3	703.4	91	C	0
	1010.81	25.2	25.7	-7.5	23.5	1.0	73.3	1083.8	94	E	7
	1008.96	25.6	25.5	-7.3	24.3	0.8	8.8	1630.4	95	C	0
"	1009.56	26.5	29.0	-3.8	24.0	-0.5	50.4	1234.9	88	C	0
	1009.90	24.3	26.8	-5.5	23.0	-0.7	4.1	3590.1	98	C	0
"	1010.25	26.8	27.0	-5.1	22.1	-1.4	10.7	3640.7	87	SSE	2
	1010.16	25.0	31.2	-1.1	24.4	0	2.4	4886.3	91	C	0

fl t

	1009.65	26.0	28.0	-7.6	24.4	-0.7	24.2	727.7	92	C	0
	1009.59	25.5	36.0	0.5	25.0	-1.2	3.5	922.9	96	C	0
	1009.18	26.0	27.3	-7.2	25.2	-0.6	7.1	774.3	92	SSW	3
"	1009.23	24.2	26.6	-7.5	23.5	-0.4	2.9	818.2	98	C	0
	1010.05	24.8	32.3	-1.3	24.4	-0.3	0.0	1262.1	95	C	0
"	1009.80	23.8	33.5	0	23.8	-0.2	2.4	1237.0	97	C	0
	1010.02	24.1	33.8	-1.2	24.1	1.1	0.0	980.2	99	C	0
	1009.75	26.0	33.1	-1.1	24.7	-0.8	4.7	797.8	98	C	0
"	1011.99	23.5	32.0	-2.0	22.2	0.2	0.0	1041.8	96	C	0
"	1010.01	23.6	33.5	0.3	22.5	0	0.0	1249.3	95	C	0
	1009.63	24.5	33.0	-1.6	23.0	0	0.6	1340.0	97	C	0
"	1013.21	25.1	32.2	-1.8	24.4	0	16.4	1173.3	97	C	0
	1010.24	24.5			22.0	-2.0	0.0	1014.7	97	C	0
"	1009.88	23.9	31.9	-1.3	23.9	-0.2	12.2	1017.4	97	C	0
"	1010.29	24.0	33.3	0	23.9	-1.1	0.0	1263.8	97	C	0
	1010.32	23.8	33.5	0.3	23.0	0.4	0.0	804.2	97	C	0
	1009.95	25.4	33.4	0	24.8	-0.5	27.1	1080.7	91	C	0
	1010.54	24.1	31.7	0	23.7	-0.2	0.0	1017.2	94	SW	3
	1010.04	24.2	33.7	1.2	23.9	-0.8	0.0	979.1	96	C	0
"	1010.93	24.0	34.2	1.8	23.5	-0.7	" "	896.2	97	ESE	2
	1010.27	23.5	34.5	0	23.0	-1.0	16.2	1406.3	95	C	0

fl t

	1010.51	24.0	30.9	-1.1	23.4	-0.2	0.0	4150.3	96	C	0
	1009.36	23.8	30.5	-0.2	23.4	-0.9	5.5	4505.7	94	C	0
	1009.88	25.6	33.4	0.5	25.0	-0.5	0.0	1618.5	95	C	0
fl t	1008.90	25.0	31.3	0.1	23.0	-1.8	5.0	1376.0	96	C	0
	1009.35	24.7	30.8	0.1	24.3	-1.2	1.8	1643.3	96	E	3
	1010.47	23.2	31.0	-1.8	21.5	-0.8	1.2	1988.6	99	C	0
	1010.01	24.2	32.7	-1.1	23.3	-1.0	" "	1785.6	96	C	0
	1010.04	24.5	30.4	0.4	23.4	-0.3	25.2	1857.9	94	C	0




---

! " # \$ % & ' ( ) \* + , - . / : ;  
 ! 'HžHa Ul žHa ]b` ž f#.\$\$ ' '+.\$\$ ' E`  
 ! 'XHa Ul žXHa ]b`  
 ! 'F & (\f ' & ( '  
 ! 'F %-Ub` %